


# **Apollo**





### **Apollo**

Apollo captures the natural beauty of timber with the best attributes of a laminate and vinyl flooring. The innovative hybrid flooring delivers astonishing durability and impact resistance.

#### **Technical Data**

Type:	Hybrid Flooring
Dimensions:	1220mm x 180mm
Thickness:	5.8mm
Wear Layer:	0.3mm
Units Per Box:	10
m² per box:	2.196
m² per pallet:	131.76
Colours:	12

Finish:	Matte
Surface:	Embossed
Top Layer:	Decorative Film & Wear Layer
Substrate Layer:	Trigon® Core Technology (Limestone Composite)
Backing Layer:	1.5mm Acoustic Backing
Profile:	Micro Bevel
Coating System:	UV Coating
Installation Method:	Unipush®

#### **Performance**

Dimensional Stability:	(ISO 23999) Length: 0.05%, Width: -0.05%, Curling: 0.00%	Light Fastness:	(EN ISO 105-B02) Grade 6
		Light	Available on Request
Thermal Resistance:	(EN 12667) 0.061m <sup>2</sup> .K/W	Reflectance Values:	, wanasie en riequeet
Thermal	(EN 12667) 0.101 W/(m.K)	Flammability:	(EN ISO 9239) CRF 10.6kW/m2
Conductivity:		Smoke Value:	(EN ISO 9239) 92% minutes
Abrasion Rating:	(EN 660-2) Group T		,
		Slip Resistance:	(AS 4586) P3
· ·		Warranty:	15 Year Hybrid Limited Residential
Swelling after submersion in	(ISO 24336) 0.1%	wairanty.	Warranty*
water:			
Impact Sound Reduction:	Please refer to Godfrey Hirst Acoustic Performance specification sheet		

### Sustainability

Product Transparency:	Global Green Tag, GreenRate Level A certified.
Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.
Global Green Tag:	GreenRate Level A Certified
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits



Global Green Tag



ISO 9001



ISO 14001



Micro Bevel Edge



Embossed



Matte Finish





Waterproof Surface<sup>^</sup>



15 Year Hybrid 0.3mm Wear layer Limited Residential Warranty\*









## **Apollo**

Affordable



